

BOARD OF SUPERVISORS MEETING

Meeting Notice

Tama County Board of Supervisors

104 W. State St., Toledo, IA 52342

Mon., Aug. 24, 2026

Meetings may also be available online for viewing and/or participating in by clicking the below link barring no power, internet, or equipment failure or other unforeseen circumstances. Meetings will still be held if there is no electronic availability.

[Click here to join meeting](#)

Agenda Schedule

**** Agenda is not printed in any particular order, only time specific items will be addressed at certain times**

8:30AM

Call to Order, Pledge of Allegiance

Approve agenda

Public comments-This time is set aside for public comments on County business topics. To be recognized raise your hand or stand. After recognition by the Chair, state your name and address. You may speak one time per issue. If the comment is for an item not on the agenda, please understand the Board of Supervisors will not act on your comments at this meeting due to the Open Meetings Law requirements but may do so at a future board meeting by placing it on the agenda. The Chair and Board members welcome comments from the public; however, all comments must be directed to the board and not others in attendance; keep your comments germane; it is not appropriate to use profane, obscene, or slanderous language. No personal attacks will be allowed. The Chair may limit each speaker to three minutes.

Discuss/Approve 8/17/26 regular minutes

Discuss/Approve 8/17/26 special minutes

Engineer-road projects report

Discussion/possible action on invoice for material testing for E66 paving project

Discussion/possible action on bids for E29

Discussion/possible action on Poweshiek Water Association Utility Permit

Discussion/possible action on Consumers Energy Utility Permit

IT projects report

Discussion/possible action to move September 7th regular meeting due to Labor Day Holiday

Discussion/possible action on Resolution 8-24-2026A to Approve or Deny Citizen Petition to Reduce the Board of Supervisors from Five Members to Three Members Based on the Findings and Determination of the Objection Panel

Discussion/approve claims

New Business:

Discussion/possible action: Supervisor reports

Public comments

Exempt Meeting-Iowa Code Chapter 20.17(3) Negotiating sessions, strategy meetings of public employers, mediation, and the deliberative process of arbitrators shall be exempt from the provisions of chapter 21. This session will be used to discuss these items.

Discussion/possible action on items from the Exempt Session

Adjourn

Board of Supervisors Minutes
August 17, 2026

The Tama County Board of Supervisors met at 8:30 a.m. August 17, 2026. Present: 1st District Supervisor, Curt Hilmer; 2nd District Supervisor, David Turner; 3rd District Supervisor, Heather Knebel; 4th District Supervisor, Mark Doland and 5th District Supervisor, Curt Kupka. Also, Tama County Auditor, Karen Rohrs, Deputy Sheriff, Brian Randall, and members of the public.

The Pledge of Allegiance was recited.

Motion by Turner, seconded by Doland to approve the agenda. Discussion: None. All voted aye. Motion carried.

Public Comments: Public comments were heard from Barb Jordan, Bob Vokoun, Mary Cherveney, Bill Faircloth, Sharon Manfull, Kendall Jordan, Craig Sash, Tracy Tichy, Karen Murty, Russ Pedersen, Midge Koster, Jim Smith, Nancy Smith, and Karen Tichy. Public comment time closed at 9:05 am.

Motion by Doland, seconded by Kupka to approve the minutes of the August 10th regular meeting. Discussion: None. All voted aye. Motion carried.

Supervisor Kupka gave a roads project report.

Supervisor Turner gave an IT projects report.

The Tama County EMS presented their Tama County EMS System Essential Services Advisory Council FY26 Report to the Board at the supervisor meeting on August 3rd. Per Iowa Code 422D.1 (c) the report is to be made public upon filing with the supervisors and the supervisors shall receive public comment regarding the report at a supervisor meeting at least fourteen days following the date the annual report is filed with the board of supervisors. The report was uploaded to the Tama County website and was available at the auditor's office upon request. There were no public comments received.

Motion by Turner, seconded by Kupka to approve the updated Tama County Safety Manual. Discussion: None. All voted aye. Motion carried.

Motion by Kupka, seconded by Hilmer to approve a temporary liquor license for Traveling Tapster, LLC for a Sip & Shop event to be held at the Tama Co. Market on September 10th. Discussion: None. All voted aye. Motion carried.

Motion by Turner, seconded by Hilmer to approve the regular claims for payment as presented in the amount of \$138,454.27. Discussion: None. All voted aye. Motion carried.

New Business: Supervisor Turner informed the Board that he is waiting on two contracts to come in for cameras. Supervisor Knebel informed the Board of the Heartland Insurance Fall Seminar for September 10th that they can register to attend.

Public Comments: Public comments were heard from Maureen Kratoska and Karen Murty. Public comment time closed at 9:16 am.

Motion by Hilmer, seconded by Turner to adjourn the meeting. All voted aye. Motion carried. Chairwoman Knebel adjourned the meeting at 9:17 am.

These minutes are intended to provide a summary of the discussions and decisions made during the Board of Supervisor meeting. For the most accurate and comprehensive record, please refer to the audio recording of the meeting that can be provided upon request at the auditor's office.

Board of Supervisors Minutes
August 17, 2026
Special Meeting

The Tama County Board of Supervisors met at 9:30 a.m. August 17, 2026, for a special meeting. Present: 1st District Supervisor, Curt Hilmer; 2nd District Supervisor, David Turner; 3rd District Supervisor, Heather Knebel; 4th District Supervisor, Mark Doland and 5th District Supervisor, Curt Kupka. Also, Tama County Auditor, Karen Rohrs, Deputy Sheriff, Brian Randall, and members of the public.

Motion by Doland, seconded by Hilmer to amend the agenda to say Discussion/possible action to accept or reject for filing the petition that was received on 8/10/2026 to Decrease the number of Tama County Supervisors from Five Members to Three Members. Discussion: None. All voted aye. Motion carried.

Motion by Hilmer, seconded by Turner to approve the amended agenda. Discussion: None. All voted aye. Motion carried.

At its August 10th meeting, the Board was presented with a petition from Tama County citizens requesting that a question be placed on the November 2026 General Election ballot to reduce the number of Tama County Supervisors from five members to three members. The Board, along with employees from the Auditor's Office, reviewed the petition to ensure that it complied with all applicable state laws, rules, and regulations. Following that review, the petition was determined to be valid on its face.

Motion by Doland, seconded by Turner to accept the petition received on 8/10/2026 to decrease the number of Tama County Supervisors from five members to three members. Discussion: Supervisor Turner stated with the code, Secretary of State, county attorney, and Iowa Supreme Court it is amazing of all the different interpretations of the code. State representatives and the senate need to fix the code so that it is perfectly clear because there has been too much angst over this process because our codes are not clearly defined. Supervisor Doland stated he had already met with Representative Fisher, and he is going to file legislation to fix this in the next session.

Motion by Doland, seconded by Turner to adjourn the meeting. All voted aye. Motion carried. Chairwoman Knebel adjourned the meeting at 9:49 am.

These minutes are intended to provide a summary of the discussions and decisions made during the Board of Supervisor meeting. For the most accurate and comprehensive record, please refer to the audio recording of the meeting that can be provided upon request at the auditor's office.

TAMA COUNTY UTILITY PERMIT APPLICATION

This is a Utility Permit Application for telecommunications, electric, gas, water and sewer utilities. The applicant agrees to comply with the following permit requirements. Compliance shall be determined by the sole discretion of the County Engineer as deemed necessary to promote public health, safety and the general welfare. These requirements shall apply unless waived in writing by the County Engineer prior to installation.

Applicant Name: Poweshiek Water Association

Street Address: PO Box 504 125 Industrial Drive

City, State & Zip Code: Brooklyn, IA 52211

Telephone Number: 641-522-7416 Ext 102 641-891-6226

Contact Person: Travis Henkle

1. **Location Plan.** An applicant shall file a completed location plan as an attachment to this Utility Permit Application. The location plan shall set forth the location of the proposed line on the secondary road system and include a description of the proposed installation.
2. **Written or Verbal Notice.** At least two working days prior to the proposed installation, an applicant shall file with the County Engineer a notice stating the time, date, location and nature of the proposed installation.
3. **Inspection.** The County Engineer shall provide a full-time inspector during all permitted work done by a third party contractor. The inspector shall have the right, during reasonable hours and after showing proper identification, to enter any installation site in the discharge of the inspector's official duties, and to make any inspection or test that is reasonably necessary to protect the public health, safety and welfare. The cost of providing this inspection service shall be paid by the permit holder upon submission by Tama County of a bill for such services. All requirements listed in 4. Requirements shall be met (less written exemptions) regardless of whom actually performs the work.
4. **Requirements.** The installation inspector shall assure that the following requirements have been met:
 - A) Construction signing shall comply with the Manual on Uniform Traffic Control Devices.
 - B) Depth – The minimum depth of cover shall be as follows:

Telecommunications.....	36"	Electric.....	48"		
Gas.....	48"	Water.....	60"	Sewer.....	60"

If the utility is installed in the road ditch and if the ditch has silted in above the original flowline, add the depth of silting to the "minimum depth" to obtain the required depth in a particular location.
 - C) The applicant shall use reference markers in the right of way ("R.O.W.") boundary to locate line and changes in alignment as required by the County Engineer. A permanent warning tape shall be placed one (1) foot above all underground utility lines.
 - D) All tile line locations shall be marked with references located in the R.O.W. line.
 - E) No underground utility lines shall cross over a crossroad drainage structure.
 - F) Residents along the utility route shall have uninterrupted access to the public roads. An all-weather access shall be maintained for residents adjacent to the project.
 - G) A joint assessment of the road surfacing shall be made by the applicant and the County Engineer both before and after construction. After construction, granular surfacing shall be added to the road by the applicant to restore the road to its original condition. After surfacing has been applied, the road surface shall be reviewed by the County Engineer (after the road has been saturated), to determine if additional surfacing on the roadway by the applicant is necessary.

- H) All damaged areas within the R.O.W. shall be repaired and restored to at least its former condition by the applicant or the cost of any repair work caused to be performed by the County will be assessed against the applicant.
- I) Areas disturbed during construction which present an erosion problem shall be solved by the applicant in a manner approved by the County Engineer.
- J) All trenches, excavations, and utilities that are knifed shall be properly tamped.
- K) All utilities shall be located between the bottom of the backslope and the bottom of the foreslope, unless otherwise approved in writing by the County Engineer prior to installation.
- L) Road crossings shall be bored. The minimum depth below the road surface shall match the minimum depth of cover for the respective utility. All entrances with culverts shall either be bored or, the utility shall be placed at least 24" below the bottom elevation of the culvert.
5. Non-Conforming Work. The County Engineer may halt the installation at any time if the applicant's work does not meet the requirements set forth in this Utility Permit.
6. Emergency Work. In emergency situations, work may be initiated by an applicant without first obtaining a Utility Permit. However, a Utility Permit must be obtained within fourteen (14) days of initiation of the work. All emergency work shall be done in conformity with the provisions of this ordinance and shall be inspected for full compliance.
7. County Infraction. Violation of this permit is a county infraction under Iowa Code section 331.307, punishable by a civil penalty of \$100 for each violation or if the infraction is a repeat offense a civil penalty not to exceed two hundred dollars for each repeat offense. Each day that a violation occurs or is permitted to exist by the applicant constitutes a separate offense.
8. Hold Harmless. The utility company shall save this County harmless of any damages resulting from the applicant's operations. A copy of a certificate of insurance naming this county as an additional named insured for the permit work shall be filed in the County Engineer's office prior to installation. The minimum limits of liability under the insurance policy shall be \$1,000,000.
9. Permit Required. No applicant shall install any lines unless such applicant has obtained a Utility Permit from the county Engineer and has agreed in writing that said installation will comply with all ordinances and requirements of the County for such work. Applicants agree to hold the County free from liability for all damage to applicant's property which occurs proximately as a result of the applicant's failure to comply with said ordinances or requirements.
10. Relocation. The applicant shall, at any time subsequent to installation of utility lines, at the applicant's own expense, relocate or remove such lines as may become necessary to conform to new grades, alignment or widening of R.O.W. resulting from maintenance or construction operations for highway improvements.

DATE 8-14-26

Poweshiek Water Association
NAME OF COMPANY

BY

Travis Hake

RECOMMENDED FOR APPROVAL:

DATE

8-17-26

Rob Hake

Asst. Foreman

~~TAMA COUNTY ENGINEER~~

APPROVAL:

DATE

CHAIRPERSON, TAMA COUNTY BOARD OF SUPERVISORS

Adopted by Resolution 9-22-92A

Poweshiek Water Association



PO Box 504 125 Industrial Drive
Brooklyn, IA 52211
641-522-7416 X102
E-mail: travis@poweshiekwater.com



August 14, 2026

Tama County Engineers Office
1002 E. 5th St.
Tama, Iowa 52339

RE: Service Installation for 1229 K Ave

Dear Mr Engineer,

Poweshiek Water Association would like to open cut in the East ROW to install 1" 250 PSI Poly water line from our 2" main currently in the ROW in front of 1229 K Ave. Location is North of the driveway. Location is Township 86 Range 15 Section 14. The open cut will be a minimum depth of 5' at the bottom of the ditch. I attached an aerial view of the route we would like to take. If you have any questions or concerns feel free to call me at 641-891-6226. Thank you for your consideration.

Best Wishes,

A handwritten signature in black ink that reads 'Travis Henkle'.

Travis Henkle
Line Extension Coordinator

Poweshiek Water Association would like to open cut in the East ROW to install 1" 250 PSI Poly water line from our 2" main currently in the ROW in front of 1229 K Ave. Location is North of the driveway. Location is Township 86 Range 15 Section 14. The open cut will be a minimum depth of 5' at the bottom of the ditch.

K AVE

Tama **GRANT**

14

Carli Heller

From: Travis Henkle <travis@poweshiekwater.com>
Sent: Friday, August 14, 2026 8:28 AM
To: Carli Heller
Cc: Rick Anderson
Subject: [TLS] water service for 1229 K Ave
Attachments: 1229 k ave.pdf; 1229 K Ave.png

Follow Up Flag: Follow up
Due By: Wednesday, August 19, 2026 2:30 PM
Flag Status: Flagged

Carli,

Can you pass this permit on for water service at 1229 K Ave.

Have a nice day,

Travis Henkle

Line Extension Coordinator
Poweshiek Water Assoc.
125 Industrial Dr, PO Box 504
Brooklyn, IA 52211
641-522-7416 ext 102

TAMA COUNTY UTILITY PERMIT APPLICATION

This is a Utility Permit Application for telecommunications, electric, gas, water and sewer utilities. The applicant agrees to comply with the following permit requirements. Compliance shall be determined by the sole discretion of the County Engineer as deemed necessary to promote public health, safety and the general welfare. These requirements shall apply unless waived in writing by the County Engineer prior to installation.

Applicant Name: Consumers Energy
Street Address: 2074 242nd St.
City, State & Zip Code: Marshalltown IA 50158
Telephone Number: 641-485-0702
Contact Person: Kevin Peterson

1. **Location Plan.** An applicant shall file a completed location plan as an attachment to this Utility Permit Application. The location plan shall set forth the location of the proposed line on the secondary road system and include a description of the proposed installation.

2. **Written or Verbal Notice.** At least two working days prior to the proposed installation, an applicant shall file with the County Engineer a notice stating the time, date, location and nature of the proposed installation.

3. **Inspection.** The County Engineer shall provide a full-time inspector during all permitted work done by a third party contractor. The inspector shall have the right, during reasonable hours and after showing proper identification, to enter any installation site in the discharge of the inspector's official duties, and to make any inspection or test that is reasonably necessary to protect the public health, safety and welfare. The cost of providing this inspection service shall be paid by the permit holder upon submission by Tama County of a bill for such services. All requirements listed in section 4 (Requirements), below, shall be met (less written exemptions) regardless of whom actually performs the work.

4. **Requirements.** The installation inspector shall assure that the following requirements have been met:

- A) Construction signing shall comply with the Manual on Uniform Traffic Control Devices.
- B) Depth - The minimum depth of cover shall be as follows:

Telecommunications.....	36"	Electric.....	48"
Gas.....	48"	Water.....	60"
Sewer.....	60"		

If the utility is installed in the road ditch and if the ditch has silted in above the original flow-line, add the depth of silting to the "minimum depth" to obtain the required depth in a particular location.

TAMA COUNTY UTILITY PERMIT APPLICATION

- C) The applicant shall use reference markers in the right of way ("R.O.W") boundary to locate line and changes in alignment as required by the County Engineer. A permanent warning tape shall be placed one (1) foot above all underground utility lines.
- D) All tile line locations shall be marked with references located in the R.O.W. line.
- E) No underground utility lines shall cross over a crossroad drainage structure.
- F) Residents along the utility route shall have uninterrupted access to the public roads. An all-weather access shall be maintained for residents adjacent to the project.
- G) A joint assessment of the road surfacing shall be made by the applicant and the County Engineer both before and after construction. After construction, granular surfacing shall be added to the road by the applicant to restore the road to its original condition. After surfacing has been applied, the road surface shall be reviewed by the County Engineer (after the road has been saturated), to determine if additional surfacing on the roadway by the applicant is necessary.
- H) All damaged areas within the R.O.W. shall be repaired and restored to at least its former condition by the applicant or the cost of any repair work caused to be performed by the County will be assessed against the applicant.
- I) Areas disturbed during construction which present an erosion problem shall be solved by the applicant in a manner approved by the County Engineer.
- J) All trenches, excavations, and utilities that are knifed shall be properly tamped.
- K) All utilities shall be located between the bottom of the back-slope and the bottom of the fore-slope, unless otherwise approved in writing by the County Engineer prior to installation.
- L) Road crossings shall be bored. The minimum depth below the road surface shall match the minimum depth of cover for the respective utility. All entrances with culverts shall either be bored or, the utility shall be placed at least 24" below the bottom elevation of the culvert.

5. Non-Conforming Work. The County Engineer may halt the installation at any time if the applicant's work does not meet the requirements set forth in this Utility Permit.

6. Emergency Work. In emergency situations, work may be initiated by an applicant without first obtaining a Utility Permit. However, a Utility Permit must be obtained within fourteen (14) days of initiation of the work. All emergency work shall be done in conformity with the provisions of this ordinance and shall be inspected for full compliance.

TAMA COUNTY UTILITY PERMIT APPLICATION

7. County Infraction. Violation of this permit is a county infraction under Iowa Code section 331.307, punishable by a civil penalty of \$100 for each violation or if the infraction is a repeat offense a civil penalty not to exceed two hundred dollars for each repeat offense. Each day that a violation occurs or is permitted to exist by the applicant constitutes a separate offense.

8. Hold Harmless. The utility company shall save this County harmless of any damages resulting from the applicant's operations. A copy of a certificate of insurance naming this County as an additional named insured for the permit work shall be filed in the County Engineer's office prior to installation. The minimum limits of liability under the insurance policy shall be \$1,000,000.

9. Permit Required. No applicant shall install any lines unless such applicant has obtained a Utility Permit from the County Engineer and has agreed in writing that said installation will comply with all ordinances and requirements of the County for such work. Applicants agree to hold the County free from liability for all damage to applicant's property which occurs proximately as a result of the applicant's failure to comply with said ordinances or requirements.

10. Relocation. The applicant shall, at any time subsequent to installation of utility lines, at the applicant's own expense, relocate or remove such lines as may become necessary to conform to new grades, alignment or widening of R.O.W. resulting from maintenance or construction operations for highway improvements.

DATE 8-4-26

Consumers Energy
NAME OF COMPANY

Kevin Peterson / Operations Manager
AUTHORIZED SIGNATURE/ POSITION

RECOMMENDED FOR APPROVAL:

DATE 8-8-26

Bill Miller Asst. Foreman
~~TAMA COUNTY ENGINEER~~

APPROVAL:


DATE _____

CHAIRPERSON,
TAMA COUNTY BOARD OF SUPERVISORS

T-84-N

CARLTON DIRECTORY

R-16-W

(Residents Owners or Renters)
SPRING CREEK TWP

CARLTON TOWNSHIP

SECTION 33

1 JOHNSON, LOUIS	2778
2 BURGESS, RODNEY	1287
3 DUNCAN, CHAD	1266
4 VILEK, CURTIS	1278
5 LEWIS, CHRISTOPHER	1284
6 LEWIS, TREVON	2769
7 VALDEZ, BRYAN	2764



2 1/2 ACSR

5,111 ft

S-T-4-mile
Intersection

S-T-5-mile ROW

35' A-IP/AS	0	25
	235'	
35' A-IP	0	24
	235'	
40' A-IP	0	23
	235'	
35' A-IP	0	22
	235'	
35' A-IP	0	21
	235'	
40' A-IP	0	20 Service
	222'	
40' A-IP	0	19
	222'	
40' A-IP	0	18
	222'	
40' A-IP	0	17
	195'	
40' A-IP	0	16
	195'	
40' A-IP	0	15
	195'	
35' A-IP	0	14 Service
	207'	
35' A-IP	0	13
	207'	
35' A-IP	0	12
	207'	
35' A-IP	0	11
	207'	
35' A-IP	0	10
	207'	
35' A-IP	0	9
	207'	
35' A-IP	0	8
	207'	
35' A-IP/A-S	0	7 Service
	206'	
35' A-IP	0	6
	206'	
35' A-IP	0	5
	206'	
35' A-IP	0	4
	206'	
35' A-IP	0	3
	206'	
40' A-IP	0	2
	206'	

Tree in Tripole
This pole comes next to meter pole and 100 ft pole

Poss. Reuse


Re-use in new use set to meter pole

Possibly reuse

Bad #4 ACSR

HWY T47

- S-T-4-1 File
- #1 to #7
- S-T-4-2 File
- #7 to 14
- S-T-4-3
- #14 to 17
- S-T-4-4
- #17 to 20
- S-T-4-5
- #20 to 25





#4 ACSR

5-T-4

Retirement

5-T-5

ROW Line

5-T-6-1

320
215
595

M.P

C.O.P

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI

AI



Updated April 22, 2014

WORK ORDER #										S-104									
Line Location										HWY 147									
Address										HWY 147									
PHASE COND										10 ACSR									
NEUTRAL COND										10 ACSR									
PHASE										1 OF 1									
SHEET										1									
RULING SPAN										1									
Installation																			
Pole No.										Span									
CONDUCTOR										POLES									
PRIMARY OH										PRIMARY URD									
GUYS										ANCHORS									
GROUND										SERVICES									
TRANSFORMERS										MISC UNITS									
REMARKS																			
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									
5306										0 0h Arm									
0 10 Ft Arm										35 23									
0 0h Arm										40 5									
45 0																			
New Construction										System Improvement									
Replacement										X									
Good Location										New Unit									
Transfer Unit										T									
Retain Unit										I									
Staked										Checked									
UP										UP									
Date										Date									
Road Name										Road Name									
Stationing										Stationing									
Feeder										Feeder									



Updated April 22, 2014

Updated April 22, 2011

N



? 1/2 ACSR

S-T-6-Mile

Installation

S-T-6-1 File

25 to 6

S-T-6-2 File

6 to #10

S-T-6-3 File

10 to #12

40' A-6	30'	24
40' A-1P	196'	23
40' A-1P	196'	22
35' A-1P	196'	21
35' A-1P	196'	20
40' 35' A-1P	205'	19 Service
35' A-1P	205'	18
40' A-1P	205'	17
45' 40' A-1P	205'	16
40' A-1P	205'	15
40' A-1P	205'	14
A-5 River Pole	205'	13
35' A-5 Dip	0	12 Dip Pole
35' A-1P	0	11
40' 35' A-1P	185'	10 Service Pole
45' 40' A-1P	218'	9
35' A-1P	218'	8
35' A-1P	218'	7
40' A-1P AS	224'	6 Service
35' A-1P	224'	5
35' A-1P	224'	4
35' A-1P	224'	3
35' A-1P	224'	2
40' A-1P	224'	1 S-T-6-1
5-T-4-25	0	

ROW E.T.C

m p with loop, tri-pole goes through the member, not here
 ? Back 172' Sec. 172' to new meter pole. New loc
 O → ? See Anchor for members 0 to number also
 has run of RD.

m p w/ loop
 Run Sec. 172' up pole

Change out pole?

New
 35' A-1-P 35' A-1P AS 1-former Pole
 0 0 O → tri-pole
 6A 6B 6C
 ↓ 30' Meter Pole



44 ACSR

5-T-6-Mile
Retirement

AI-1	0	19
	20	
AI	0	18
	350	
AI	0	17 HWY
	350	
AI	0	16 T47
	205	
AI trans triplex	← 0	15
	285	
AI	0	14
	340	
AI	0	13
	300	
AI	0	12
	295	
AI	0	11
	300	
AI	← 0	10
	290	
AI	0	9
	230	
AI trans, ML	0	8
	350	
AI	0	7
	270	
AI	0	6
	255	
AI-A5	← 0	5
	250	
AI	0	4
	255	
AI	0	3
	325	
AI	0	2
	320	
AI	0	5-T-6-1
	200	
	0	5-T-4-18

COP MP

COP 5-T-6-10
A.M.P

AI-1 AI AS
trans →

MP

Wednesday April 22 1893

Updated April 27, 2011

N
↓

2 1/2 ACSR

S-T-7-m.k

Installation

S-T-7-1

24 + 3

S-T-7-2

3 + 4

S-T-7-3

4 + 9

S-T-7-4

9 + 11

Can you look
back to what
your pole to pole
Footages are.

Reuse 2	35	A-S	185'	11
<u>? 45'</u>	40'	A-IP	0	10
	40'	A-IP/A-S	0	9
	35'	A-IP	244'	8
	35'	A-IP	0	7
	40'	A-IP	244'	6
	40'	A-IP	0	5
Install New Poles	40'	A-IP/A-S	244'	4
Reuse Change hardware	35'	A-IP Dip Pole	220'	3
	40'	A-IP	208'	2
Reuse Change hardware	40'	A-IP	208'	1

→ A-S x-former with
Pin UAD Dip

↓
A3
205
D x-former

HWY 17

5-T-7-1

270 B St

5-T-6-24 40' A-6 30' ↑ 5-T-6-24

2
↓

H 4 ACSK

5-T-7-mile
Retirement

HWY
T47

0
New Date End of Column
A-S Dip
AI-AS No
6m
AI
AI trans
triples
Newer AI-P
Newer AI-P A-S
Newer AI-P Dip
AI
AI-1
AI-1

380
315
305
285
325
220
160
245
195
0

11
10
9
8
7
6
5
4
3
2
5-T-7-1
5-T-6-19

0 AS Dip Age & Trans. Good

A3

AS trans P T S

Staking#:	
Road Name:	HWY T47
Substation:	Marshalltown
Feeder:	5-T-07

WORK ORDER #		CONDUCTOR		POLES		PRIMARY OH		PRIMARY URD		GUYS		ANCHORS		GROUND		SERVICES		TRANSFORMERS		MISC UNITS		REMARKS
Line Location	Address	Pole No.	Back Span	PRI	Q	#	SEC	Q	P	UNIT	Q	UNIT	Q	UNIT	Q	UNIT	Q	UNIT	Q	UNIT	Q	
5-T-07	HWY T47	6-18																				
PHASE COND	#4 ACSR																					
NEUTRAL COND	#4 ACSR	7-1	195																			
PHASE																						
SHEET	1 OF 1	2	245																			
RULING SPAN		3	160																			
Retirement		4	220																			
		5	325																			
		6	285																			
		7	305																			
		8	315																			
		9	300																			
		9A																				
Range	See Sheet	2430																				
		4850																				

0 8T Arm 30 1

0 10 Ft Arm 35 23

0 De Arm 40 5

45 0

New Construction

System Improvement

Replacement

Code Letters

New Unit N

Transfer Unit T

Retirement Unit I

Reuse Unit R

Staked KP

Checked KP

Approved

Date

Staking: Road Name: HWY T47

Substation: Marshalltown

Feeder: 5-T-07



Updated April 22, 2015

CERTIFICATE OF INSURANCE

1/26/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

THIS IS TO CERTIFY THAT:

Consumers Energy
2074 242nd Street
Marshalltown, IA 50158



**FEDERATED RURAL ELECTRIC
INSURANCE EXCHANGE**

NAIC 11118
P.O. Box 15147, Leawards, KS 66285-5147
(913) 541-0150 Fax (913) 541-9004
www.federatedrural.com

IS, AT THE ISSUE DATE OF THIS CERTIFICATE, INSURED BY THE COMPANY UNDER THE POLICY(IES) LISTED BELOW. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

TYPE OF INSURANCE	POLICY NUMBER	POLICY DATES	LIMITS (\$)	
GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY OCCURRENCE-BASIS COMPREHENSIVE FORM PREMISES / OPERATIONS UND / EXPLOSION & COLLAPSE PRODUCTS / COMP OPS CONTRACTUAL BROAD-FORM PROPERTY DAMAGE NO GENERAL AGGREGATE	14 ARB 037-26	1/1/2026 to 1/1/2027	EACH OCCURRENCE	\$2,000,000
			DAMAGE TO RENTED PREMISES	\$2,000,000
			MED EXP (PER PERSON)	\$1,000
			PERSONAL & ADV INJURY	\$2,000,000
			GENERAL AGGREGATE LIMIT	UNLIMITED
AUTOMOBILE ANY AUTO HIRED & NON-OWNED AUTO GARAGE LIABILITY (ANY AUTO)	14 ARB 037-26	1/1/2026 to 1/1/2027	COMBINED SINGLE LIMIT (EACH ACCIDENT)	\$2,000,000
			COMP DEDUCTIBLE	\$500
			COLLISION DEDUCTIBLE	\$500
ALL-RISK BLANKET PROPERTY	14 ARB 037-26	1/1/2026 to 1/1/2027	PROPERTY LIMIT	\$29,604,314
			PROPERTY DEDUCTIBLE	\$500

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EQUIPMENT / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

It is agreed that where required by mortgage, lease, or other legal agreement, the interests of mortgagees, lessors, and loss payees are insured as their interests may appear as additional insured's and/or loss payees. Blanket Additional Insured and Waiver of Subrogation are included under General Liability and Automobile Liability insurance if required by written contract or agreement. Policy provisions include a 60-day cancellation notice.

CERTIFICATE HOLDER:

**TAMA COUNTY &
TAMA COUNTY COURTHOUSE
ATTN: ENGINEER'S OFFICE
1002 EAST 5TH STREET
TAMA, IA 52339-2216**

CANCELLATION:

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE:

Jennifer L. Hay



**FEDERATED RURAL ELECTRIC
INSURANCE EXCHANGE**

*This endorsement changes the policy.
Please read it carefully*

Blanket Additional Insured & Waiver of Subrogation Endorsement

14 ARB 037-26

Consumers Energy

Section II, General Liability and Automobile Liability Insurance, Item F. Persons Insured, is amended to include any person or organization for whom the policyholder is performing operations when the policyholder and the person or organization have agreed in writing in a contract or agreement that such person or organization be added as an additional insured or insureds to this policy. Such person or organization is an additional insured only with respect to liability caused, in whole or in part, by the policyholder's acts or omissions, or by the acts or omissions of others acting on the policyholder's behalf, provided:

1. The insurance afforded to such additional insured or insureds only applies to the extent permitted by law; and
2. If such coverage is required by written contract or agreement, the insurance afforded will not be broader than that required by the contract or agreement to be provided to the additional insured or insureds; and
3. If such coverage is required by written contract or agreement, the insurance afforded shall not exceed the limit of insurance required by the contract or agreement, or the applicable Limit of Liability stated in the Declarations, whichever is less.
4. If required by written contract or agreement, the Company waives any rights of recovery against the additional insureds shown above because of payments made under Section II, General Liability. Such waiver applies only to the extent that the policyholder has waived its rights of recovery against such person(s) or organization(s) prior to loss.
5. The following amends General Condition H. Other Insurance, and supersedes any provision to the contrary:
This Insurance is primary to and will not seek contribution from any other insurance available to an additional insured under this policy provided that:
(1) The additional insured is a Named Insured under such other insurance; and
(2) It is required by written contract or agreement that this insurance would be primary and would not seek contribution from any other insurance available to the additional insured.

With respect to the insurance afforded to these additional insureds, no coverage shall apply to Personal Injury or Property Damage arising out of or caused directly or indirectly by providing or failing to provide any professional service. This exclusion shall not apply to the rendering of emergency first aid or incidental medical service.

A professional service can mean, but is not limited to Personal Injury or Property Damage arising out of the rendering of, or the failure to render, any architectural, engineering or surveying services, including:

- a. The preparing, approving, or failing to prepare or approve, maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or
- b. Supervisory, inspection, architectural or engineering activities.

This endorsement shall not, in any event, increase the Limit of Liability stated in the Declarations.

All other policy provisions apply.

Carli Heller

From: Chris Wilson
Sent: Tuesday, August 4, 2026 12:05 PM
To: Carli Heller
Subject: FW: Tama County Utility Permit Application for Consumers Energy
Attachments: Consumers Energy Tama County location map.pdf; Tama County Utility Permit Application.pdf; Consumers Energy Proof of insurance Tama County.pdf; 5-T-4 staking sheets.pdf; 5-T-6 staking sheets.pdf; 5-T-7 Staking sheets.pdf

Chris Wilson

Office Manager
Tama County Highway Department
1002 E. 5th Street
Tama, Iowa 52339-2216

cwilson@tamacounty.org

Office Phone: 641-484-3341
Direct Line: 641-654-7181
Fax: (641) 484-6628

From: Ben Daleske <bdaleske@tamacounty.org>
Sent: Tuesday, August 4, 2026 11:39 AM
To: Chris Wilson <cwilson@tamacounty.org>
Subject: FW: Tama County Utility Permit Application for Consumers Energy

From: Kevin Peterson <kpeterson@consumersenergy.net>
Sent: Tuesday, August 4, 2026 11:38:25 AM (UTC-06:00) Central Time (US & Canada)
To: Chris Wilson <cwilson@tamacounty.org>; Ben Daleske <bdaleske@tamacounty.org>
Subject: [TLS] Tama County Utility Permit Application for Consumers Energy

Morning

Attached you will find the Utility permit application for some overhead electric lines that we are working on rebuilding.

Thanks

Kevin Peterson
Operations Manager/Chief Operations Officer
Consumers Energy
2074 242nd Street
Marshalltown IA 50158
Direct 641-754-1647
Main 800-696-6552

Cell 641-485-0702

Fax 641-752-5738

kpeter@consumersenergy.net

www.consumersenergy.coop

The information contained in this electronic mail transmission is intended by Consumers Energy for the use of the named individual or entity to which it is directed and may contain information that is confidential or privileged. If you have received this electronic mail transmission in error, please delete it from your system without copying or forwarding it, and notify the sender of the error by reply email so that the sender's address records can be corrected.